

An *ab initio* study of the magnetic and electronic properties of Fe, Co, and Ni nanowires on Cu(001) surface

J. C. Tung^a, and G. Y. Guo^{a,b}

^aDepartment of Physics and Center for Theoretical Sciences, National Taiwan University, Taipei 106, Taiwan

^bGraduate Institute of Applied Physics, National Chengchi University, Taipei 116, Taiwan

Abstract

Magnetism at the nanoscale has been a very active research area in the past decades, because of its novel fundamental physics and exciting potential applications. We have recently performed an *ab initio* study of the structural, electronic and magnetic properties of all 3d transition metal (TM) freestanding atomic chains and found that Fe and Ni nanowires have a giant magnetic anisotropy energy (MAE), indicating that these nanowires would have applications in high density magnetic data storages. In this paper, we perform density functional calculations for the Fe, Co and Ni linear atomic chains on Cu(001) surface within the generalized gradient approximation, in order to investigate how the substrates would affect the magnetic properties of the nanowires. We find that Fe, Co and Ni linear chains on Cu(001) surface still have a stable or metastable ferromagnetic state. When spin-orbit coupling (SOC) is included, the spin magnetic moments remain almost unchanged, due to the weakness of SOC in 3d TM chains, whilst significant orbital magnetic moments appear and also are direction-dependent. Finally, we find that the MAE for Fe, and Co remains large, i.e., being not much affected by the presence of Cu substrate.

Keywords: magnetocrystalline anisotropy, transition metal nanowires, spin-orbit coupling

1. Introduction

In recent years, nanostructured magnetic materials have received much attention, due to their interesting physical properties and potential applications. For example, finite free-standing gold atomic chains were first reported in 1998[1, 2], and their structural properties, such as the actual length of the chain have been the focus of intensive experiments and theoretical studies since then. However, these free-standing atomic chains are unstable and thus can only exist at low temperatures and on a suitably chosen substrate. Physically stable magnetic nanowires deposited on metallic substrates are one of the most important nanostructures and a variety of techniques have been used to prepare and study them. For example, Gambardella *et al* [3, 4] succeeded in preparing a high density of parallel atomic chains along steps by growing Co on a high-purity Pt (997) vicinal surface in a narrow temperature range of 10~20 K. The magnetism of the Co wires was also investigated by the x-ray magnetic circular dichroism.[4] Experimentally, copper and tungsten are excellent substrates for growth of Fe thin films[5, 6] because of the small lattice constant mismatch between Fe and Cu (3.61Å) as well as W (3.61Å). Thus, in this paper, we perform first principles calculations to study the electronic and magnetic properties of the Fe, Co and Ni nanowires. The spin-orbit coupling (SOC) is included in this study to determine the magnetic anisotropy energy (MAE).

2. Theory and Computational Method

In the present calculations, we use the accurate frozen-core full-potential projector augmented-wave (PAW) method, [7] as implemented in the Vienna *ab initio* simulation package (VASP) [8, 9]. The calculations are based on density functional theory with the generalized gradient approximation (GGA)[10]. A large plane-wave cutoff energy of 350 eV is used for all the systems considered. The Fe, Co, and Ni nanowires along the *x* direction on the Cu (001) surface are modeled by a nanowire attached to both sides of a seven-layer-thick Cu (001) slab as plotted in Fig. 1. The transition metal (TM) atoms on the nanowires are placed either on the top of surface Cu atoms [denoted here as the atop (A) site] or at the hollow position on the Cu surface [called here as hollow (H) site]. The two-dimensional unit cell is chosen to be of *p*(4×1) structure. The nearest in-plane (out of plane) wire-wire distance is larger than 10Å (11Å) which is wide enough to decouple the neighboring wires. The theoretical lattice constant (3.60 Å) of bulk copper, which is in good agreement with experimental Cu lattice constant of 3.61 Å, is used as the fixed in-plane lattice constant of the Cu slab. However, the atoms are allowed to move in the out of plane direction, and the structural relaxations are performed using the conjugate gradient method. The equilibrium structure is obtained when all the forces acting on the atoms and the stress are less than 0.02 eV/Å and 2.0 kBar, respectively. The Γ -centered Monkhorst-Pack scheme with a *k*-mesh of 20×5×1 in the full Brillouin zone (BZ), in conjunction with the Fermi-Dirac-smearing method with $\sigma = 0.2$ eV, is used to generate *k*-points for the BZ integration.

Table 1: Calculated formation energy E^f , equilibrium interlayer distance d_{eq} , spin magnetic moment per magnetic atom, m_s , and magnetization energy per magnetic atom $E^{mag}=E^{FM}-E^{NM}$ of the 3d TM nanowires on both the hollow (H) and atop (A) sites of the Cu (001) surface. Here superscripts *FM* and *NM* denote the ferromagnetic and nonmagnetic states, respectively.

	site	E^f (eV/u.c.)	d_{eq} (Å)	m_s (μ_B)	E^{mag} (eV)
Fe	H	-2.14	1.64	3.07	-0.337
	A	-0.31	2.31	3.29	-0.444
Co	H	-2.15	1.57	1.79	-0.130
	A	-1.19	2.27	1.99	-0.205
Ni	H	-2.26	1.55	0.00	0.000
	A	-1.32	2.26	0.65	-0.032

Figure 1: (color online) The slab supercell for modeling Fe, Co and Ni nanowires on the hollow sites of Cu (001) surface.

Because of its smallness, *ab initio* calculation of the MAE is computationally very demanding and needs to be carefully carried out.[11] Here we use the total energy difference approach rather than the widely used force theorem to determine the MAE, i.e., the MAE is calculated as the difference in the full self-consistent total energies for the two different magnetization directions concerned. The total energy convergence criterion is 10^{-8} eV/atom. The same k -point mesh is used for the density of states calculations. The MAEs calculated with a denser $32 \times 6 \times 1$ k -point mesh hardly differ from that obtained with the $20 \times 5 \times 1$ k -point mesh (within 0.02 meV).

3. Results and Discussion

The chain formation energy E^f is defined as $E^f = \frac{1}{2}(E_t - nE_{Cu}^{Bulk} - mE_{TM}^{chain})$ where E_t is the total energy of the system, E_{Cu}^{Bulk} is the total energy of the bulk Cu, and E_{TM}^{chain} is the total energy of the freestanding transition metal nanowires. And n and m are the numbers of the Cu and TM atoms in the system, respectively. The calculated formation energy is listed in Table 1. Clearly, the formation energy is lower when the TM atoms are placed on the hollow sites, as might be expected. Interestingly, among the Fe, Co, and Ni nanowires, Ni nanowire has the lowest formation energy on both hollow and atop sites. The ideal interlayer distance for Cu substrate is 1.8 Å, and from Table 1 the interlayer distance between the Fe, Co, and Ni nanowires and the Cu substrate for hollow (atop) site is 1.64 (2.31), 1.57 (2.27), and 1.55 (2.26) Å, respectively. At hollow (atop) site, the copper substrate seems to push (pull) the TM nanowires and the interlayer distance of Ni is smallest (see Table 1). Table 1 also shows that when the interlayer distance changes, the spin magnetic moment changes as well. In general, for all considered Fe, Co and Ni nanowires, an increase in interlayer distance will result in an increase of spin moment for both sites. The spin moment is larger in the atop site due to the smaller overlap between the TM nanowires and the Cu substrate. At equilibrium, the spin moments of Fe, Co and

Ni on hollow (atop) sites are 3.07 (3.29), 1.79 (1.99) and 0.0 (0.65) μ_B /atom. In our previous study[14] of freestanding 3d TM nanowires, the spin moments at the same bond length (2.55 Å) of Fe, Co and Ni are 3.30, 2.30 and 1.14 μ_B /atom, respectively. Clearly, placing the 3d TM nanowires on the hollow sites significantly reduces or even quenches the spin moments on the nanowires, whilst the spin moments are much less affected when the nanowires are deposited on the atop sites.

The relativistic SOC is essential for the orbital magnetization and magnetocrystalline anisotropy in solid, though it may be weak in the 3d TM systems. Therefore, we include the SOC in our further self-consistent calculations in order to study the magnetic anisotropy and also orbital magnetization of the Fe, Co and Ni nanowires on Cu (001), and the results are summarized in Table 2. First, when the SOC is taken into account, the spin magnetic moments for the TM nanowires at hollow (atop) site are 3.07 (3.28), 1.78 (1.99), and 0.02 (0.64) μ_B /mag. atom which are almost identical to the corresponding one obtained without SOC. This is due to the weakness of SOC in the 3d transition metals. However, including the SOC gives rise to a significant orbital magnetic moment in TM nanowires and, importantly, allow us to determine the easy magnetization axis in 3d nanowires. For the magnetization lies along the chain direction, the calculated orbital moments for Fe, Co and Ni are 0.10, 0.27 and 0.02 μ_B /mag. atom (see Table 2), respectively. In our previous study of 3d TM nanowires, we found that the magnetization has a strong directional dependence [14] and the orbital moment is larger when the magnetization lies along the chain direction. In this study, the orbital magnetic moments for Co and Ni still have a directional dependence but become smaller compared with freestanding nanowires, as expected, and the orbital magnetization is also larger when the magnetization is along the chain direction, except Co and Ni on the atop site. At the atop site, the orbital moment for Ni and Co is larger when the magnetization is in-plane but perpendicular to the chain direction (i.e., along the y -axis).

The magnetic moments of the Fe, Co and Ni nanowires can be understood by the calculated spin-polarized density of states (DOS) as displayed in Fig. 2. In Fig. 2, the Fermi levels are set to be zero, the DOS for the minority spin are multiplied by -1 , and the sp -orbital decomposed DOS are scaled by a factor of




Figure 2: (Color online) Spin-polarized density of states of the Fe and Co nanowires on Cu (001).

20 for an easy comparison. Clearly, the d -orbitals of the Fe and Co nanowires on both sites are significantly localized due to the reduction of the coordination number whilst the sp -orbitals are more dispersive. The reduction in coordination number also induces the great enhancement in the spin splitting of Fe and Co $3d$ -bands. The spin-splitting of Fe and Co $3d$ -bands for hollow (atop) site are 2.58 (2.82), and 1.51 (1.75) eV, respectively. The interlayer distance between the TM nanowires and Cu substrate are larger on the atop site which means that the overlaps between the TM and substrates are smaller, and the spin magnetic moments are larger. The splitting of the $3d$ -band is approximately proportional to the spin moment.

The calculated MAEs of Fe, Co and Ni nanowires are listed in Table 2. We define the energy differences $E^1 = E^{100} - E^{001}$ and $E^2 = E^{100} - E^{010}$. If both E^1 and E^2 are negative, the magnetization prefers to lie along the chain direction. First, Co nanowires have the largest MAE on both hollow and atop sites as well as the largest orbital magnetic moment. Interestingly, both E^1 and E^2 are positive in the Fe nanowire, indicating that it has an out-of-plane anisotropy at both sites, whilst the Co and Ni nanowire show an in-plane anisotropy. Recent *ab initio* studies of Fe double chains on Ir (001) surface[12, 13] show that the anisotropy could be either in-plane or out of plane, depending on the inter-chain distance and the magnetic configuration of the chain. The MAEs of the freestanding $3d$ TM atomic chains[14] were already obtained by the force theorem method with a fine $1 \times 1 \times n$ ($n = 200$) k -point mesh, and the calculated MAE E^1 was -2.25, 0.68 and -8.13 (meV/mag. atom) for the Fe, Co and Ni chain, respectively. For a more precise comparison, here we recalculate the MAE of the freestanding Fe, Co and Ni atomic chains by the total energy difference approach with $n = 200$. The resultant MAE for the Fe, Co and Ni chains is -0.6, 0.84, -8.91 (meV/mag. atom), respectively. Clearly, when the $3d$ TM chains were deposited on Cu (001), the MAE generally becomes smaller due to the overlap between the TM nanowires and substrate (Table 2). However, the MAE for Co is enhanced, though the predicted magnetic anisotropy is in-plane. Further-

Table 2: Calculated spin magnetic moment per atom, m_s , orbital magnetic moment per magnetic atom, m_o , along three different directions and magnetic anisotropy energy per magnetic atom (MAE) of the Fe, Co and Ni chains on Cu (001). The chain direction is along (100), and the (010) [(001)] direction is in-plane [out of plane] but perpendicular to the chain direction. The MAE E^1 is defined as $E^{100} - E^{001}$ and E^2 is $E^{100} - E^{010}$.

	m_s (μ_B)	m_o (μ_B)		MAE (meV)		
		100	010	001	E^1	E^2
H-site						
Fe	3.07	0.10	0.09	0.10	0.32	0.25
Co	1.78	0.27	0.18	0.17	-1.17	-1.16
Ni	0.02	0.02	0.00	0.00	-0.53	0.01
A-site						
Fe	3.28	0.12	0.11	0.13	0.38	0.29
Co	1.99	0.19	0.25	0.12	-0.40	-1.51
Ni	0.64	0.13	0.27	0.11	-0.05	-0.32

more, the MAE for the $3d$ TM nanowires deposited on Cu (001) is still very large when compared with that of bulk Fe and Ni.

4. Conclusions

We have performed *ab initio* GGA calculations for the Fe, Co and Ni linear atomic chains on Cu (001) surface in order to examine how the substrates would affect the magnetic properties of the nanowires. We found that Fe, Co and Ni linear chains on Cu (001) surface still have a stable or metastable FM state. When the SOC is included, the spin magnetic moments remain almost unchanged, due to the weakness of SOC in $3d$ TM chains. However, the significant orbital magnetic moments appear and are also direction-dependent, except Fe. We also found that the Fe system has an out-of-plane magnetic anisotropy whilst the Co and Ni systems have an in-plane anisotropy.

Acknowledgments

The authors acknowledge support from the National Science Council and the NCTS of Taiwan.

References

- [1] H. Ohnishi, Y. Kondo, and K. Takayanagi, Nature (London) **395**, 780 (1998)
- [2] A. I. Yanson, G. R. Bollinger, H. E. van der Brom, N. Agrait, and J. M. van Ruitenbeek, Nature (London) **395**, 783 (1998)
- [3] P. Gambardella, P. Blanc, M. Burgi, L. Kuhnke, K. Kern, Surface Science **449**, 93 (2000).
- [4] P. Gambardella, A. Dallmeyer, K. Maiti, M. C. Malagoli, W. Eberhardt, K. Kern C. Carbone, Nature **416**, 301 (2002).
- [5] J. Hauschild, H. J. Elmer, and U. Gradmann, Phys. Rev. B **57** R677 (1998).
- [6] D. Tian, F. Jona, and P. M. Marcus, Phys. Rev. B **45** 11216 (1992).
- [7] P. E. Blöchl, Phys. Rev. B **50**, 17953 (1994); G. Kresse and D. Joubert, *ibid.* **59**, 1758 (1999).
- [8] G. Kresse and J. Hafner, Phys. Rev. B **48**, 13115 (1993).
- [9] G. Kresse, and J. Furthmüller, Comp. Matter. Sci **6**, 15 (1996).

- [10] Y. Wang and J. P. Perdew, Phys. Rev. B **44**, 13298 (1991); J. P. Perdew and Y. Wang, *ibid.* **45**, 13244 (1992).
- [11] G. Y. Guo, W. M. Temmerman, and H. Ebert, Physca B **172**, 61 (1991).
- [12] R. Mazzarello and E. Tosatti, Phys. Rev. B **79**, 134402 (2009)
- [13] Y. Mokrousov, A. Thiess and S. Heinze, Phys. Rev. B **80**, 195420 (2009)
- [14] J. C. Tung and G. Y. Guo, Phys. Rev. B **76**, 094413 (2007)